

Notes on the synonymy of the genera *Hypena* SCHRANK, 1802,  
*Dichromia* GUENÉE, 1854 and *Harita* MOORE, 1882  
(Lepidoptera: Noctuidae: Hypeninae)

by Martin LÖDL

Abstract

Current studies on the subfamily *Hypeninae* enable the author to give a survey of the synonymy of the genus-group *Hypena* s.l. The synonyms of three genera, *Hypena* SCHRANK, 1802, *Dichromia* GUENÉE, 1854 and *Harita* MOORE, 1882 are listed and briefly discussed. *Ametropalis* MABILLE, 1884, *Eugorna* HOLLAND, 1894 and *Camhypena* A.E.PROUT, 1927 are new synonyms of *Dichromia*, and *Placerobela* TURNER, 1903 is a new synonym of *Harita*. Nomenclatural and systematic remarks on certain species are given due to the authors latest investigations.

Résumé

Les recherches courantes concernant la subfamille *Hypeninae* rendent possible à l'auteur de donner un résumé du synonyme de l'*Hypena* s.l. Les synonymes de trois genera *Hypena* SCHRANK, 1802, *Dichromia* GUENÉE, 1854 et *Harita* MOORE, 1882, sont énumérés et discutés brièvement. *Ametropalis* MABILLE, 1884, *Eugorna* HOLLAND, 1894 et *Camhypena* A.E.PROUT, 1927 sont les nouveaux synonymes de la *Dichromia*. *Placerobela* TURNER, 1903 est le nouveau synonyme de la *Harita*.

Zusammenfassung

Ein Überblick über die Synonymie der Gattungsgruppe *Hypena* s.l. wird vorgelegt. Aus der Gattungsgruppe werden vorerst die Genera *Hypena* SCHRANK, 1802, *Dichromia* GUENÉE, 1854 und *Harita* MOORE, 1882 behandelt. *Ametropalis* MABILLE, 1884, *Eugorna* HOLLAND, 1894 und *Camhypena* A.E.PROUT, 1927 sind neue Synonyme zu *Dichromia*. *Placerobela* TURNER, 1903 ist ein neues Synonym zu *Harita*. Nomenklatorische und systematische Bemerkungen zu den einzelnen Taxa ergänzen die Zusammenfassung.

*Dichromia* was recently treated as a synonym of *Hypena* due to the lack of external features which prove to distinguish significantly *Dichromia*-species from *Hypena* species. *Dichromia* was reestablished mainly on the base of features of the male genitalia (LÖDL, 1993). *Harita* always has been treated as a separate genus and is included in the group of genera which could be summarized as "Hypena sensu lato". Genera like *Anoratha* MOORE, 1867, *Trichypena* JOANNIS, 1915 and *Ctenypena* A.E.PROUT, 1927 are in need of further investigations. Further studies may well add some more genera to this big, monophyletic bulk of species which, up to our present knowledge, contain an estimated 500 - 600 described species worldwide.

*Hypena* SCHRANK, 1802

Orig. cit.: SCHRANK, 1802, Fauna Boica 2(2): 163

Type species: *Phalaena proboscidalis* LINNAEUS, 1758 (Syst.Nat. (Edn.10) 1: 533)

Synonyms:

*Anepischetos* SMITH, 1900

Orig.cit.: SMITH, 1900, Proc.U.S.natn.Mus. 22: 482

Type species: *Anepischetos bipartita* SMITH, 1900 (dto. 22:482)

Notes: "bipartita" SMITH, 1900" is preoccupied by

*Bomolocha bipartita* STAUDINGER, 1892 and is currently treated as a synonym of *Hypena abjuralis* WALKER, [1859] 1858. Due to the collections of the BMNH, London it may well come to light that both are synonyms of "Phalaena Pyralis lividalis HÜBNER, 1790".

*Anephischetos* of authors misspelling (vide HODGES, et al., 1983, NYE, 1975)

*Apanda* MOORE, 1882

Orig.cit.: MOORE, 1882, in HEWITSON & MOORE, Descr. new Indian lepid. Insects Colln late Mr.W.S.Atkinson: 186

Type species: *Apanda denticulata* MOORE, 1882 (dto. : 187, pl.6, fig.24)

Notes: According to the type-specimen at the collections of the BMNH, London it is a typical *Hypena*. The name "*dentilineata* MOORE, 1882" is a misspelling used by HAMPSON, 1895:83.

*Badausa* WALKER, [1863]1864

Orig.cit.: WALKER, [1863] 1864, J. Proc. Linn. Soc. (Zool.) 7:170

Type species: *Badausa hypenoides* WALKER, [1863]1864 (dto. 7: 170)

Notes: *Badausa hypenoides* is reported to be a synonym of *Hypena rhombalis* GUENÉE, 1854. *Hypena rhombalis* is a clear *Hypena*, the type-specimen of *Badausa hypenoides* has not been checked by the author.

*Bomolocha* HÜBNER, [1825] 1816

Orig.cit.: HÜBNER, [1825] 1816, Verz.bekannter Schmett.: 343

Type species: *Phalaena crassalis* FABRICIUS, 1787 (Mantissa Insect. 2:217)

Notes: The characters of this big "genus" ever have been "weak" and clearly cannot prove if the tropical members of the genus *Hypena* are taken into consideration. At the latest stage of our knowledge the author follows the opinion of most of the recent authors to treat it as a synonym of *Hypena*.

*Erichila* BILLBERG, 1820

Orig.cit.: BILLBERG,1820, Enumeratio Insect. Mus.G.J.Billberg:89

Type species: *Phalaena proboscidalis* LINNAEUS,1758 (Syst.Nat. (Edn 10) 1: 533

*Erchila* BILLBERG, 1820 misspelling (POOLE, 1989 pt.)

*Euhypena* GROTE,1873

Orig.cit.: GROTE,1873, Trans. Am.ent. Soc. 4: 310

Type species: *Hypena toteuta* GROTE,1872 (Trans.Am.ent.Soc. 4: 24)

Notes: *Hypena toteuta* has been the replacement name for *Hypena internalis* ROBINSON, 1870. Both seem to sink into *Hypena bijugalis* WALKER,[1859]1858.

*Herpyzon* HÜBNER,1822

Orig.cit.: HÜBNER,1822, Syst. alphab. Verz.: 52,56

Type species: *Phalaena proboscidalis* LINNAEUS, 1758 (Syst. Nat. (edn 10) 1: 533

*Lomanaltes* GROTE, 1873

Orig.cit.: GROTE,1873, Bull.Buffalo Soc.nat.Sci. 1: 13

Type-species: *Lomanaltes laetus* GROTE,1873 (dto. 1: 14, pl.1, figs.12,13)

Notes: *Lomanaltes laetus* is a synonym of *Hypena eductalis* WALKER,[1859]. *Hypena eductalis* HAMPSON, 1895, a junior primary homonym, therefore got the replacement name *Hypena rebaptizata* by GOSSERIES, 1989.

*Macrhypena* GROTE, 1873

Orig.cit.: GROTE,1873, Trans.Am.ent.Soc. 4: 310

Type-species: *Hypena deceptalis* WALKER, [1859]1858 (List Specimens lepid.Insects Colln Br.Mus.16:30)

Notes: Type checked externally by the author. There is no doubt that this species is a real *Hypena*.

*Mathura* MOORE, 1882

Orig.cit.: MOORE, 1882, in HEWITSON & MOORE, Descr. new Indian lepid. Insects Colln late Mr.W.S.Atkinson. 188.

Type-species: *Mathura albisigna* MOORE,1882 (dto. : 188)

Notes: This *Hypena* has been treated by HAMPSON,1895 under the "broad winged" species (Sect.*Bomolocha*), external check of the type does not definitely prove this species to be a real *Hypena*, although it is well possible that it will turn out to be basically a member of this genus.

*Megahypena* GROTE,1873 misspelling (HODGES, et al., 1983)

*Meghypena* GROTE,1873

Orig.cit.: GROTE,1873, Bull.Buffalo Soc.nat.Sci. 1:86

Type-species: *Meghypena velifera* GROTE, 1873 (dto. 1: 87)

Notes: *Meghypena velifera* is a synonym of *Hypena edictalis* WALKER,[1859]1858.

**Nesamiptis MEYRICK, 1899**

Orig.cit.: MEYRICK, 1899 in SHARP, Fauna Hawaiiensis 1(2):156

Type-species: *Nesamiptis plagiota* MEYRICK, 1899 (dto. 1(2): 156, pl.4, fig.15)

Notes: ZIMMERMANN,1958 synonymized *Nesamiptis* with *Hypena*. The author has seen syntypes at the BMNH. Due to its male genitalia characters *Nesamiptis* is a clear synonym of *Hypena*.

**Ophiuche HÜBNER, [1825]1816**

Orig.cit.: HÜBNER, [1825]1816, Verz. bekannter Schmett.: 344

Type-species: *Phalaena lividalis* HÜBNER, 1790 (Beitr. Gesch.Schmett. 2(4):86 pl.I (IV),fig.E)

Notes: Though the first external impression of *Ophiuche lividalis* is quite different to the typical *Hypena* many anatomical characters, as palps and genitalia structure make sure that *Ophiuche* for the moment is best treated as a member of the *Hypena*-complex. *Ophiuche lividalis* was first described by HÜBNER, 1790. Sometimes the secondary description by HÜBNER of 1796 (Samml.Eur. Schmetterlinge, Pyralides 1: Tafel 2, Fig.11) is erroneously cited as original. The locus typicus of *lividalis* is "Florenz" [Italy, Europe] (HÜBNER,1790) and not "Europe" as generally stated.

**Peliala WALKER,1865**

Orig.cit.: WALKER,1865, List Specimens lepid. Insects Colln Br. Mus. 33: 1005

Type-species: *Peliala tenebrosa* WALKER,1865 (dto. 33: 1005)

**Plathypena GROTE,1873**

Orig. cit.: GROTE, 1873, Trans. Am. ent. Soc. 4: 310

Type-species: *Plathypena scabra* FABRICIUS, 1798 (Suppl.Ent.Syst.: 448)

For the moment the following taxa are excluded from the synonymy-list of the genus *Hypena*. Some of them are supposed to be in need of more detailed investigations, in particular of the anatomical features of their type-species:

**Hypoepa LEECH,1889**

Orig.cit.: LEECH,1889, Entomologist 22:63

Type-species: *Hypoepa bambusalis* LEECH,1889 (dto. 22:63, pl.2,fig.2)

Notes: This taxon was commonly treated as a

distinct genus, but LEECH did not give any description of a genus "*Hypoepa*", so it is a misspelling of *Hipoepa* WALKER,[1859] (OWADA,1987). The external appearance of the holotype of *bambusalis* was checked by the author at the BMNH, London and is obviously not a *Hypena*.

**Phanaspa WALKER,[1866]1865**

Orig.cit.: WALKER,[1866]1865, List Specimens lepid.Insects Colln Br.Mus. 34: 1192

Type-species: *Phanaspa dilatatalis* WALKER, [1866] 1865 (dto. 34: 1193)

Notes: *Phanaspa* has been investigated externally by the author, the type-species exhibits quite a different shape of wings and body and may well be generically different from *Hypena* although treated as a synonym by POOLE,1989. The problem requires further morphological investigations.

**Dichromia GUENÉE,1854**

Orig.cit.: GUENÉE,1854 in BOISDUVAL & GUENÉE, Hist. nat. Insectes (Lépid.) 8: 18

Type-species: *Phalaena orosia* CRAMER, 1780 (Uitlandsche Kapellen 3: 149, pl.275, fig.D)

Notes: Primarily GUENÉE used the unjustified emendation "*D.orosialis* CR." but undoubtedly meant *Phalaena orosia*. *Orosia* is a synonym of *Noctua sagitta* FABRICIUS,1775. No notice has been taken of the taxon "*Phalaena Noctua macularis* HÜBNER, 1787" which turned out to be a new synonym of *Dichromia sagitta*.

Synonyms:

**Ametropalpis MABILLE, 1884** NEW SYNONYMY

Orig.cit.: MABILLE,1884, C.r. Séanc. Soc. ent. Belg.: cixxxix

Type-species: *Ametropalpis nasuta* MABILLE, 1884 (dto. : cixxxxix)

Notes: Due to a check of the male genitalia of *nasuta*-specimens from the collections of the BMNH, London *Ametropalpis* is congeneric with *Dichromia*.

**Camhypena A.E.PROUT, 1927** NEW SYNONYMY

Orig. cit.: A. E. PROUT, 1927: Trans. ent. Soc. London 75:230

Type-species: *Camhypena thomensis* A.E. PROUT, 1927 (dto. 75:230, pl.21, fig.8)

Notes: After having seen the syntypes, this genus must be consequently synonymized due to the recent diagnosis of *Dichromia* (LÖDL,1993).

**Eugorna HOLLAND,1894** NEW SYNONYMY ?

Orig.cit.: HOLLAND,1894, Psyche, 7: 122

Type-species: *Eugorna vidua* HOLLAND, 1894  
(dto. : 123, pl.4, fig.1)

Notes: *Eugorna* was treated as a synonym of *Ametropalis* and is now subsequently synonymized with *Dichromia*. The author has not yet seen the type.

*Harita* MOORE, 1882

Orig.cit.: MOORE,1882 in HEWITSON & MOORE, Descr.new Indian lepid.Insects Colln late Mr.W.S.Atkinson: 187

Type-species: *Harita rectilinea* MOORE, 1882  
(dto. : 187, pl.6, fig.23)

Synonym:

*Placerobela* TURNER, 1903 NEW SYNONYMY  
Orig. cit.: TURNER, 1903, Trans. Royal Soc. S. Australia 27:13

Type-species: *Placerobela brachyphylla* TURNER, 1903 (dto. : 14)

Notes: Due to its genitalia characters this genus is a synonym of *Harita*. The author checked samples of the BMNH, he has not yet seen the holotype.

## LITERATURE

- GOSSERIES, J., 1989. - Replacement of some junior primary homonyms in the Noctuidae (Lepidoptera). Insect Nom. I(1): 1-6.
- HAMPSON,G.F.,1895.- The Fauna of British India (Moths) 3: xxviii + 546 pp.
- HODGES, R.W., et al.,1983. - Check List of the Lepidoptera of America North of Mexico including Greenland. E.W.Classey & Wedge Ent.Res.Found., London: xxiv + 284 pp.
- LÖDL, M., 1993. - Remarks on the classification of the genera *Hypena* SCHRANK, 1802, *Dichromia* GUENÉE, 1854 and *Harita* MOORE, 1882 (Lepidoptera:Noctuidae). Nota lepid.,in press.
- NYE, I.W.B., 1975.- Noctuoidea (part): Noctuidae, Agaristidae and Nolidae. Generic Names Moths World 1: 568 pp., 12 figs.
- OWADA, M., 1987. - A Taxonomic Study on the Subfamily Herminiinae of Japan (Lepidoptera, Noctuidae). Nat.Sc.Mus., Tokyo, 208 pp.
- POOLE, R.W., 1989.- Lepidopterorum Catalogus (New Series). Fasc.118 Noctuidae pt.1-3. 1314 pp.
- ZIMMERMANN, E. C., 1958.- Insects of Hawaii. Vol.7 Macrolepidoptera. Univ.Hawaii Press, Honolulu 542 pp.

Author's adress: Mag. Dr. Martin LÖDL,  
Naturhistorisches Museum Wien,  
2. Zoologische Abteilung,  
Burgring 7,  
A-1014 Wien,  
Austria.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen](#)

Jahr/Year: 1993

Band/Volume: [45](#)

Autor(en)/Author(s): Lödl Martin

Artikel/Article: [Notes on the synonymy of the genera Hypena Schrank, 1802, Dichromia Guenée, 1854 and Harita Moore, 1882 \(Lepidoptera: Noctuidae: Hypeninae\). 11-14](#)